

Network Racks Premium DNRP

19"/27U, 42U and 48U


with glass front door & steel rear door,
RAL 7035 and RAL 9005



Network Racks Premium DNRP, 42U, 800 x 800 mm, RAL 7035 and RAL 9005

Description

The Datwyler Network Racks Premium DNRP are cabinets with fully welded frames and high load capacities designed for data centres, server rooms and comms rooms.



Mechanical properties

Base frame	Welded sheet steel frame (2.0 mm, partially 1.5 mm)
Bayable	yes
Bottom Panel	Multi-piece, removable, 100 mm round cable entry hole with plastic cover in each corner, 5-8 additional 300 x 100 mm cable entry holes, covered with sheet steel plates
Earthing	pre-installed flat earthing kit
Feet	Set of adjustable feet as standard
Front door	Tinted safety glass with swivel handle lock, DIN profile, universal key 333, 3-point locking, up to 180° aperture angle. Doors can be hinged right or left (easy to change).
Mounting profile	2 pairs of 19" vertical profiles, front / rear, adjustable from inside, with U label
Protection class	IP 40
Rear door	Sheet steel, non-perforated, with swivel handle lock, DIN profile, universal key 333, 3-point locking, up to 180° aperture angle. Doors can be hinged right or left (easy to change)
Side panels	Removable, locks with universal key
Top Panel	One-piece (D: 800/1000 mm), multi-piece (D: 1200 mm), removable, 100 mm round cable entry hole with plastic cover in each corner, 2 additional 300 x 100 mm cable entry holes, 2-4 additional 300 x 50 mm cable entry holes and 1-2 openings for the installation of fan ventilation units, each covered with a sheet steel plate

Scope of delivery

Comes with 28 mounting kits (screws, cage nuts, washers).
Fully assembled and packed, including installation instructions.

Versions

Material number	Product	Outer dimensions	Colour	Weight [kg]	Packing unit	Maximum Load [KG]
195020	Network Rack Premium DNRP, 27 U, 1,311 x 800 x 800 mm	27 U1311 mm x 800 mm x 800 mm	light grey	100 kg	1 pc.	800
195021	Network Rack Premium DNRP, 27 U, 1,311 x 800 x 1,000 mm	27 U1311 mm x 800 mm x 1000 mm	light grey	124 kg	1 pc.	800
195012	Network Rack Premium DNRP, 27 U, 1,311 x 800 x 1,000 mm	27 U1311 mm x 800 mm x 1000 mm	black	124 kg	1 pc.	800
195014	Network Rack Premium DNRP, 42 U, 1,978 x 800 x 800 mm	42 U1978 mm x 800 mm x 800 mm	light grey	112 kg	1 pc.	800
195015	Network Rack Premium DNRP, 42 U, 1,978 x 800 x 1,000 mm	42 U1978 mm x 800 mm x 1000 mm	light grey	157 kg	1 pc.	800
195480	Network Rack Premium DNRP, 42 U, 1,978 x 800 x 800 mm	42 U1978 mm x 800 mm x 800 mm	black	118 kg	1 pc.	800
195008	Network Rack Premium DNRP, 42 U, 1,978 x 800 x 1,000 mm	42 U1978 mm x 800 mm x 1000 mm	black	127 kg	1 pc.	800
195016	Network Rack Premium DNRP, 42 U, 1,978 x 800 x 1,200 mm	42 U1978 mm x 800 mm x 1200 mm	light grey	175 kg	1 pc.	800
195009	Network Rack Premium DNRP, 42 U, 1,978 x 800 x 1,200 mm	42 U1978 mm x 800 mm x 1200 mm	black	158 kg	1 pc.	800
195017	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 800 mm	48 U2245 mm x 800 mm x 800 mm	light grey	147 kg	1 pc.	800
195407	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,000 mm	48 U2245 mm x 800 mm x 1000 mm	light grey	176 kg	1 pc.	800
195262	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,000 mm	48 U2245 mm x 800 mm x 1000 mm	light grey	176 kg	1 pc.	800
195018	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,000 mm	48 U2245 mm x 800 mm x 1000 mm	light grey	173 kg	1 pc.	800
195010	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,000 mm	48 U2245 mm x 800 mm x 1000 mm	black	173 kg	1 pc.	800
195406	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,200 mm	48 U2245 mm x 800 mm x 1200 mm	light grey	208 kg	1 pc.	800
195019	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,200 mm	48 U2245 mm x 800 mm x 1200 mm	light grey	208 kg	1 pc.	800

Material number	Product	Outer dimensions	Colour	Weight [kg]	Packing unit	Maximum Load [KG]
195011	Network Rack Premium DNRP, 48 U, 2,245 x 800 x 1,200 mm	48 U 2245 mm x 800 mm x 1200 mm	black	208 kg	1 pc.	800

More colours / dimensions available on request

Subject to technical modification

As of 2020-10-28 12:09:22