


FO simplex patch cord LC/PC - SC/APC , E9/125 G.652.D BLO



Description

Datwyler offers a broad range of terminated connectors for individual customer needs.
For all simplex patch cords cables with 1.8 mm are used.

Construction

Cable	Simplex
Cable construction	I-V(ZN)H

General Properties

Operating temperature	-10 °C - +60 °C
Outer sheath colour	yellow
Outer sheath material	FRNC/LSZH

Optical Properties

Connector type side A	LC/PC
Connector type side B	SC/APC
Grade IEC61755, connector A (better than)	better than B2
Grade IEC61755, connector B (better than)	better than B2
IL maximal, connector A	0.25 dB
IL maximal, connector B	0.25 dB
IL typical, connector A	0.12 dB
IL typical, connector B	0.12 dB
Lifetime	1000 connections with stable attenuation values
Reproducibility of the IL	a maximum of +/- 0.1dB
RL minimal, connector A	50 dB
RL minimal, connector B	50 dB
RL typical, connector A	55 dB
RL typical, connector B	55 dB
Standard connector A	IEC 61754-20
Standard connector B	IEC 61754-20
Fibre type	E9/125 G.652.D BLO
Ferrule material	Zirconia

Mechanical properties

Bending (IEC 60794-1-21 E11, reversible fibre attenuation)	≤ 0,5 dB
Connector cable retention	70 N
Crush resistance (IEC 60794-1-21 E3, reversible fibre attenuation)	≤ 0,2 dB
Housing colour connector A	blue
Housing colour connector B	green
Impact	IEC 60794-1-21 E4
Minimum bending radius	50 mm
Repeated bending	IEC 60794-1-21 E6
Tensile load (IEC 60794-1-21 E1 0,33% reversible fibre elongation)	200 N
Torsion (IEC 60794-1-21 E7, reversible fibre attenuation)	≤ 0,1 dB

Versions

Material number	Product	Length (m)	Weight [kg]	Packing unit	GTIN / EAN
42296000ZY	FO simplex patch cord LC/PC - SC/APC	1	0.02 kg	1 pc.	40393910209662
42296100ZY	FO simplex patch cord LC/PC - SC/APC	2	0.03 kg	1 pc.	40393910209655
42296200ZY	FO simplex patch cord LC/PC - SC/APC	3	0.04 kg	1 pc.	40393910209648
42296300ZY	FO simplex patch cord LC/PC - SC/APC	4	0.06 kg	1 pc.	40393910209631
42296400ZY	FO simplex patch cord LC/PC - SC/APC	5	0.07 kg	1 pc.	40393910209624
42296500ZY	FO simplex patch cord LC/PC - SC/APC	6	0.08 kg	1 pc.	40393910209617
42296600ZY	FO simplex patch cord LC/PC - SC/APC	7	0.1 kg	1 pc.	40393910209600
42296700ZY	FO simplex patch cord LC/PC - SC/APC	8	0.11 kg	1 pc.	40393910209594
42296800ZY	FO simplex patch cord LC/PC - SC/APC	9	0.12 kg	1 pc.	40393910209587
42296900ZY	FO simplex patch cord LC/PC - SC/APC	10	0.13 kg	1 pc.	40393910209570
42297000ZY	FO simplex patch cord LC/PC - SC/APC			1 pc.	40393910209563

